

Produktname	Zusammensetzung/Stoffgruppe	Bentonit Polymer Stopfmittel	Funktion	Hersteller
REL-PAC			Bohrlochstabilisierung	Cetco
Desco II (Chrome Free)			Dispergiermittel	Millenium Technologies
Adapta	oil mud HTHP filtrate reducer		Filtrate Reducer	Baroid
AK-70	gilsonite		Filtrate Reducer	Baroid
Antisol	Polyanionische Cellulose PAC	P	Filtrate Reducer	GWE
Antisol FL	polyanionische Polymere (PAC)	P	Filtrate Reducer	wolff cellulotics
Aqua Pac LV / Regular	Polyanionic cellulose	P	Filtrate Reducer	Bri-Chem Supply Ltd
AquaFLOW	Polyanionic Cellulose	P	Filtrate Reducer	Aqualon
Aqualon	Natriumzellulosexanthogenat (CMC)	P	Filtrate Reducer	Aqualon
AquaPAC	Polyanionic Cellulose	P	Filtrate Reducer	Aqualon
Aqua-Star D	Carboxymethyl starch	P	Filtrate Reducer	Canamara United Supply
Bio-Lose	Non-fermenting chemically modified starch	P	Filtrate Reducer	Baker Hughes Inteq
Blacknite	Coupled gilsonite-based dispersion		Filtrate Reducer	Sun Drilling Products
Can-Oil FLC	Fluid loss control for all-oil system		Filtrate Reducer	Canamara United Supply
Carbocel AG/EHV (extra high viscosity)	Carboxymethylcellulose (CMC)	P	Filtrate Reducer	AdriaTech
Cellex	sodium carboxymethyl cellulose	P	Filtrate Reducer	Baroid
Chemtrol X	High-temp filtration control agent for water-base fluids		Filtrate Reducer	Baker Hughes Inteq
CMC	Carboxymethyl cellulose	P	Filtrate Reducer	Alliance Fluids
D178 Plus	High-temp polymer filtrate control for high salinity environments		Filtrate Reducer	Drilling Specialties Company
Dextrid LT	partially dextrinized polysaccharide	P	Filtrate Reducer	Baroid
Drillpac HV/LV	Polyanionische Cellulose PAC	P	Filtrate Reducer	Drilling Specialties Company
Drilstar HT	High temperature starch	P	Filtrate Reducer	Alliance Fluids
Driscal D	Synthetic HTHP polymer	P	Filtrate Reducer	Drilling Specialties Company
Drispac	Polyanionische Cellulose Polymer	P	Filtrate Reducer	Drilling Specialties Company
Drispac Plus	Polyanionische Cellulose Polymer	P	Filtrate Reducer	Drilling Specialties Company
Drispac Superlo	Polyanionische Cellulose Polymer	P	Filtrate Reducer	Drilling Specialties Company
Dual-Flo	Filtrate Reducer		Filtrate Reducer	M-I Swaco
Duratone HT	organophilic colloid powder		Filtrate Reducer	Baroid
Durenex Plus	high-temp sulfonated co-polymer	P	Filtrate Reducer	Baroid
Ecotrol	Polymeric filtrate reducer	P	Filtrate Reducer	M-I Swaco
Flo-Plex	Polymeric fluid loss additive	P	Filtrate Reducer	M-I Swaco
Flo-Trol	Modified starch derivitive	P	Filtrate Reducer	M-I Swaco
Hibtrol HV	Metalcellulose Polymer	P	Filtrate Reducer	ADG Technology
Impermex	Pregeletanized starch	P	Filtrate Reducer	Baroid
Kem-Seal	Co-polymer for high-temp filtration control	P	Filtrate Reducer	Baker Hughes Inteq
MODIPOL 600	Carboxymethylcellulose	P	Filtrate Reducer	Phrikolat
MODIPOL 960	Polyanioniccellulose Typen	P	Filtrate Reducer	Phrikolat
Mon Pac	Premium polyanionic cellulose	P	Filtrate Reducer	Flowline Solutions
Mon Pac Ultralo	Premium polyanionic cellulose	P	Filtrate Reducer	Flowline Solutions
Organolig	Organophillic lignite for OB and Synthetic Muds		Filtrate Reducer	Drilling Specialties Company
PAC HV	polyanionisches CellulosePolymer	P	Filtrate Reducer	Morrison
Pac-L	Polyanionic cellulose	P	Filtrate Reducer	Baroid
Pac-R	Polyanionic cellulose	P	Filtrate Reducer	Baroid
Polyac Plus	Broad range filtrate reducer		Filtrate Reducer	Baroid

Produktname	Zusammensetzung/Stoffgruppe	Bentonit Polymer Stopfmittel	Funktion	Hersteller
Polydrill	100% synthetic fluidloss additive		Filtrate Reducer	Canamara United Supply
POLYDRILL®	SulfatPolymer	P	Filtrate Reducer	Degussa
Polypac R	anionisches Cellulose Polymer	P	Filtrate Reducer	ADG Technology
Polypac UL	Ultra low viscosity pac		Filtrate Reducer	M-I Swaco
POLYTHIN®	organisches SulfatPolymer	P	Filtrate Reducer	Degussa
Potato Starch	Kartoffelstärke		Filtrate Reducer	Pigott Shaft Drillig
Premium	Halbsynthetisches Cellulose Polymer	P	Filtrate Reducer	Liquid Earth Support
Pyro-trol	Co-polymer acrylamide AMPS	P	Filtrate Reducer	Baker Hughes Inteq
Resinex	Resinated lignin		Filtrate Reducer	M-I Swaco
Resinex II	Tech grade resinated lignin		Filtrate Reducer	M-I Swaco
SBF Viscopool T	Natrium-Carboxymethyl Cellulose CMC Polymer	P	Filtrate Reducer	GWE
Staflor Regular	Polyanionic cellulose	P	Filtrate Reducer	Canamara United Supply
Starpak DP	Non-fermenting derivatized starch	P	Filtrate Reducer	Alliance Fluids
SUPER THIN	Acrylat	P	Filtrate Reducer	Cetco
Therma Check	Extreme HT filtrate reducer		Filtrate Reducer	Baroid
Unitrol	Modified starch	P	Filtrate Reducer	M-I Swaco
Versatrol	Naturally occurring gilsonite		Filtrate Reducer	M-I Swaco
Walocel CRT	NatriumCarboxymethylcellulose CMC	P	Filtrate Reducer	wolff cellulosics
N-Dril HT Plus	Stabilized non-ionic starch	P	Filtrate Reducer	Baroid
Filter-Chek		P	Filtrationskontrolle	Baroid
Barablok	powdered hydrocarbon resin	S	Lost Circulation Material	Baroid
Baracarb	sized calcium carbonate	S	Lost Circulation Material	Baroid
Baraplug	sized and treated salts	S	Lost Circulation Material	Baroid
Barofibre	fibrous cellulosic material	S	Lost Circulation Material	Baroid
Cage Absorbant T408	Sized Zeolite	S	Lost Circulation Material	Canamara United Supply
Cellophan-Flocken	Stopfmaterialien	S	Lost Circulation Material	GWE
Cottonseed Hulls	Fibrous biodegradeable hull material	S	Lost Circulation Material	Baker Hughes Inteq
Diaseal M	Blended LCM material	S	Lost Circulation Material	Drilling Specialties Company
Dril-Doktor	Microground cellulose	S	Lost Circulation Material	Canamara United Supply
Drill Plug C/M	Blended sized cellulose fiber	S	Lost Circulation Material	Millenium Technologies
Dynared	Ground natural fiber	S	Lost Circulation Material	Drilling Specialties Company
EZ-Plug	acid soluble blend of LCM	S	Lost Circulation Material	Baroid
Fiber Fluid Coarse	Cellulose fiber	S	Lost Circulation Material	Flowline Solutions
Fiber Fluid Fine	Cellulose fiber	S	Lost Circulation Material	Flowline Solutions
Form-A-Plug II	Acid soluble plug with smaller particles	S	Lost Circulation Material	M-I Swaco
Form-A-Set AK	Polymeric LCM	P	Lost Circulation Material	M-I Swaco
Glimmer-Schuppen	Stopfmaterialien	S	Lost Circulation Material	GWE
G-Seal	Graphite plugging agent	S	Lost Circulation Material	M-I Swaco
Hydro-Plug	Polymeric LCM for vugular cavemous formations	S	Lost Circulation Material	Baroid
Impermix	Powder	S	Lost Circulation Material	Liquid Earth Support
Kwik-Seal	Combination LCM	S	Lost Circulation Material	Kelco Oil Field Group
Kwik-Seal	Combination LCM	S	Lost Circulation Material	Bri-Chem Supply Ltd
Magma Fiber	Mineralfaser	S	Lost Circulation Material	Millenium Technologies
Magma Fiber	Acid soluble spun mineral fiber	S	Lost Circulation Material	Flowline Solutions
M-I Cedar Fiber	Shredded cedar fiber	S	Lost Circulation Material	M-I Swaco

Produktname	Zusammensetzung/Stoffgruppe	Bentonit Polymer Stopfmittel	Funktion	Hersteller
M-I Seal	LCM for fractured or vugular formations	S	Lost Circulation Material	M-I Swaco
Micatex	Mica flakes	S	Lost Circulation Material	Baroid
Mil-Carb	Sized ground carbonates	S	Lost Circulation Material	Baker Hughes Inteq
Morrison FibrouSeal™	Fasern und Flocken	S	Lost Circulation Material	Morrison
N-Plex	Liquid alkaline salt	S	Lost Circulation Material	Baroid
N-Seal	Specially formulated extrusion material	S	Lost Circulation Material	Baroid
N-Squeeze	Sized cellulose fibers in a non-damaging polymer base	S	Lost Circulation Material	Baroid
Nut Plug	Ground nutshells	S	Lost Circulation Material	M-I Swaco
Pine Seal	Fibrous flake and granular LCM	S	Lost Circulation Material	Bri-Chem Supply Ltd
Plug-Git	Processed cedar fiber	S	Lost Circulation Material	Baroid
Poly block	Blended LCM for vugular & cavernous formations	S	Lost Circulation Material	Drilling Specialties Company
Prima Seal C/M	Blended LCM	S	Lost Circulation Material	Canamara United Supply
Rebound	Resilient carbon based LCM	S	Lost Circulation Material	Drilling Specialties Company
Rubber Crumb	Ground Rubber	S	Lost Circulation Material	Canamara United Supply
Safe-Carb	Sized calcium carbonate	S	Lost Circulation Material	M-I Swaco
Sawdust	Sawdust	S	Lost Circulation Material	Alliance Fluids
Smart plug	Blended LCM	S	Lost Circulation Material	Sun Drilling Products
Solu-Squeez	Acid-soluble high fluid loss LCM squeeze	S	Lost Circulation Material	Baker Hughes Inteq
Sorbgel	Powder	S	Lost Circulation Material	Liquid Earth Support
Steelseal	Dual composition carbon material	S	Lost Circulation Material	Baroid
Stop-Frac D	Blended LCM	S	Lost Circulation Material	Baroid
Stop-Frac S	Blended LCM	S	Lost Circulation Material	Baroid
Ultra Seal C	Coarse ground cellulose	S	Lost Circulation Material	Alliance Fluids
Ultra Seal Plus	medium ground cellulose	S	Lost Circulation Material	Alliance Fluids
Ultra Seal XP	fine ground cellulose	S	Lost Circulation Material	Alliance Fluids
Walnut Hulls	Ground Walnut shells	S	Lost Circulation Material	Alliance Fluids
Western Poly	Polyethylene flake	S	Lost Circulation Material	Canamara United Supply
X-Link	Cross-linking polymer with blended LCM	S+P	Lost Circulation Material	Baker Hughes Inteq
Clear Ex Pill	Blended polymers with carbonates	P	Lost Circulation Material	Millenium Technologies
Variseal	Blended LCM	S	Lost Circulation Material	Millenium Technologies
GeoGrease			Schmier- und Stützmittel	Liquid Earth Support
Alcomer 72 L	Acrylatpolymer	P	Thinner	Millenium Technologies
Alcomer 72L	Liquid LMW anionic acrylate-based polymer	P	Thinner	Ciba Speciality Chemicals
Alcomer 74	acrylatbasierendes Copolymer	P	Thinner	Millenium Technologies
Alcomer 74	Modified acrylic polymer, calcium stable	P	Thinner	Ciba Speciality Chemicals
Alcomer 74L	Liquid anionic acrylic co-polymer, calcium stable	P	Thinner	Ciba Speciality Chemicals
All Temp	All temperature polymeric deflocculant	P	Thinner	Baker Hughes Inteq
Barafos	modified sodium polyphosphate		Thinner	Baroid
Baranex	temperature stable lignite powder		Thinner	Baroid
Carbonox	lignitic humicid powder		Thinner	Baroid
CF Desco II	Organic thinner chrome-free		Thinner	Drilling Specialties Company
Chemthin OM	Thinner for oil-based muds		Thinner	Canamara United Supply
Desco	Organic thinner		Thinner	Drilling Specialties Company
Drill-Thin	Chrome-free organic thinner		Thinner	Drilling Specialties Company
Enviro-Thin	chrome free iron lignosulphonate		Thinner	Baroid

Produktname	Zusammensetzung/Stoffgruppe	Bentonit Polymer Stopfmittel	Funktion	Hersteller
Humalite	Lignite		Thinner	Canamara United Supply
Ligco	Lignite		Thinner	Baker Hughes Inteq
Lignite	Braunkohle, als Leonardite bekannt		Thinner	Millenium Technologies
Lignite	Lignite(Humic acid)		Thinner	Alliance Fluids
Lignocal	Calcium lignosulfate		Thinner	Canamara United Supply
Mil-Temp	Sulfonated styrene, maleic anhydride co-polymer	P	Thinner	Baker Hughes Inteq
New-Thin	Liquid polyacrylate	P	Thinner	Baker Hughes Inteq
Novathin	Thinner for synthetic invert emulsions		Thinner	M-I Swaco
OMC	Degelant for organophilic clays	B	Thinner	Baroid
Polyblend-B	Acrylamid Natriumacrylat Copolymer	P	Thinner	Liquid Earth Support
Polythin	Powder thinner (extreme conditions)		Thinner	Canamara United Supply
PushLube	Acrylamid Natriumacrylat Copolymer	P	Thinner	Liquid Earth Support
Quik-Thin	Ferrochrome lignosulfonate		Thinner	Baroid
Qwikthin CF	Modified sulfo-methylated tannin		Thinner	Flowline Solutions
SAPP	Sodium Acid Pyrophosphate		Thinner	Millenium Technologies
Sapp	Sodium acid pyrophosphate		Thinner	Alliance Fluids
Spersene CF	Chrome-free lignosulfonate		Thinner	M-I Swaco
Staflo Ex-Lo Supreme	Low viscosity PAC	P	Thinner	Canamara United Supply
Stokopol D 2624	Copolymer aus Acrylamid und Ntriumacrylat	P	Thinner	GWE
Stokopol EM35	Copolymer aus Acrylamid und Ntriumacrylat	P	Thinner	GWE
Super-Lig	Lignite		Thinner	Canamara United Supply
Therma-Thin	Extreme high-temp reducer/dispersant		Thinner	Baroid
Thin-Tex	Modified lignosulphonate		Thinner	Canamara United Supply
UltraGlide Beads	kugelförmiges Copolymer	P	Thinner	Millenium Technologies
Unical	Chrome lignosulfonate		Thinner	Baker Hughes Inteq
Versalig	Modified lignite		Thinner	M-I Swaco
Versathin	Oil mud dispersant		Thinner	M-I Swaco
WonderMud	Acrylamid Natriumacrylat Copolymer	P	Thinner	Liquid Earth Support
Morrison MX DRILLING POLYMER™			Thixtropie	Morrison
Morrison TK60 for Drilling and Coring™		P	Toninhibierung	Morrison
3D Gum	Polysaccharid Gum	P	Viscosifier	Liquid Earth Support
Alcomer 242	AMPS - polyacrylamide copolymer	P	Viscosifier	Ciba Speciality Chemicals
Alcomer 274	Liquid anionic acrylic co-polymer emulsion	P	Viscosifier	Ciba Speciality Chemicals
Aquagel	Fein geriebenes Natriumbentonit	B	Viscosifier	Baroid
Aquagel Gold Seal	treated sodium montmorillonite	B	Viscosifier	Baroid
Aquasorb	polyacrylamid Polymer	P	Viscosifier	PDSCo
ARGIPOL	Polymer auf Polyacrylamid-Basis	P	Viscosifier	Phrikolat
Bararesin-Vis	organophilic viscosifier for oils		Viscosifier	Baroid
Baravis	HEC		Viscosifier	Baroid
Barazan	polysaccharid biopolymer (Xanthan Gum)	P	Viscosifier	Baroid
Barazan D	dispersion enhanced xanthan gum	P	Viscosifier	Baroid
Barazan D Plus	dispersant added biopolymer	P	Viscosifier	Baroid
Barazan L	liquid xanthan gum biopolymer	P	Viscosifier	Baroid
Barolift	specially treated monofilament fiber sweeping agent		Viscosifier	Baroid
BEN-EX	Polyacryl- und PolyacrylamidPolymer	P	Viscosifier	Kelco Oil Field Group

Produktname	Zusammensetzung/Stoffgruppe	Bentonit Polymer Stopfmittel	Funktion	Hersteller
Bentone 150	Self-activating organoclay	B	Viscosifier	Bri-Chem Supply Ltd
Bentone 38	HTHP performance organoclay	B	Viscosifier	Bri-Chem Supply Ltd
Bentone 910	Economical organoclay	B	Viscosifier	Bri-Chem Supply Ltd
Bentonit (OCMA)	Aktivbentonit	B	Viscosifier	Phrikolat
Bentonite - ABI Hi Yield	Natriumbentonit(peptized wyoming bentonite)	B	Viscosifier	Millenium Technologies
Bentonite - ABI Premium Gel	Natriumbentonit (wyoming bentonite)	B	Viscosifier	Millenium Technologies
Bentonite - ABI Untreated	Natürliches Natriumbentonit (untreated wyoming bentonite)	B	Viscosifier	Millenium Technologies
Benvis	synthetisches Acrylamid	P	Viscosifier	Pigott Shaft Drillig
BESTBORE®	Bentonit-Polymer-Formulierung	B+P	Viscosifier	GelTeq
Bio-Bore	Tonfreie, biologisch abbaubare Bohrspülung	P	Viscosifier	Baroid
BIOFLOW® (Xanthan)	Xanthan Gum (polysaccharid)	P	Viscosifier	Degussa
Biolam P	Polysaccharides Polymer	P	Viscosifier	AdriaTech
Biovis	HT biopolymer	P	Viscosifier	Canamara United Supply
BIOVIS®	Scleroglucan Polysaccharide	P	Viscosifier	Degussa
Boryl SV	natürliches Polysaccharid	P	Viscosifier	GWE
Borzan	Xanthan Gum	P	Viscosifier	Wyo-Ben
Can-Ex	Bentonite extender	B	Viscosifier	Canamara United Supply
Carbo-Gel	Organophilic hectoriteviscosifier for solids suspension		Viscosifier	Baker Hughes Inteq
CE Grade (60)	aktiviertes Bentonit	B	Viscosifier	Pigott Shaft Drillig
Chemoil-Gel	Silica-gelant		Viscosifier	Canamara United Supply
Chemoil-Link	Cross-link for chemoil gel		Viscosifier	Canamara United Supply
Clarizan	Clarified xanthan gum	P	Viscosifier	Drilling Specialties Company
CMC HiVis	Polymer	P	Viscosifier	Pigott Shaft Drillig
Culminal	Methylzellulose, Methylhydroxyethylcellulose, Methylhydroxy	P	Viscosifier	Aqualon
Drillam MV	anionisches Polymer	P	Viscosifier	AdriaTech
Drillam PA regular	natürliches polyanionisches Polymer	P	Viscosifier	AdriaTech
Drillplex HDD	MMO viscosifier		Viscosifier	ADG Technology
Duo-Vis/Super-Vis	Xanthan Gum	P	Viscosifier	ADG Technology
Enviroplug	Sized bentonite	B	Viscosifier	Canamara United Supply
Extra High Yield Bentonite	Wyoming Bentonite	B	Viscosifier	Wyo-Ben
Extra High Yield Bentonite	Peptized wyoming bentonite	B	Viscosifier	Canamara United Supply
EZ-Mud	Flüssige Emulsion Polymer-Plastik PHPA	P	Viscosifier	Baroid
Federal Guar	natürliches Polymer	P	Viscosifier	ADG Technology
FILTER CONTROL	organisches Polymer	P	Viscosifier	Phrikolat
Filtravis	Polymer	P	Viscosifier	Millenium Technologies
Filtravis	Polymeric viscosifier/fluid loss reducer used in conjunction with bentonite		Viscosifier	Drilling Specialties Company
FIX-SOLS P	Polymer	P	Viscosifier	Süd-Chemie
Flo-Vis Plus	Premium xanthan gum	P	Viscosifier	M-I Swaco
Flowzan	Xanthangum Biopolymer	P	Viscosifier	Millenium Technologies
Flowzan	xanthan gum biopolymer,	P	Viscosifier	Drilling Specialties Company
FLR Polymer	synthetisches Polymer	P	Viscosifier	Pigott Shaft Drillig
G-150 Guar	Guar Gum	P	Viscosifier	Wyo-Ben
Galactasol	guar gum	P	Viscosifier	Aqualon
Gel Check®	Organisches Polymer	P	Viscosifier	GelTeq
Gel Plus®	Flüssiges Polymer	P	Viscosifier	GelTeq

Produktname	Zusammensetzung/Stoffgruppe	Bentonit Polymer Stopfmittel	Funktion	Hersteller
Gelex	Bentonite extender		Viscosifier	M-I Swaco
Geltone II	oil mud gelling agent		Viscosifier	Baroid
Geltone IV	polymer treated organophilic clay	B	Viscosifier	Baroid
Geltone V	amine treated organophilic clay	B	Viscosifier	Baroid
Go Devil II	Provides LSRV for AHPHRON ICS system		Viscosifier	M-I Swaco
Granular Seal	Bentonit, unbehandelt	B	Viscosifier	PDSCo
Greenbase Acid Gelling Agent	hochviskoses, synthetisches Polymer	P	Viscosifier	Drilling Specialties Company
Guar CM	guar polymer	P	Viscosifier	Drilling Specialties Company
Guar Gum	Polymer	P	Viscosifier	Pigott Shaft Drillig
HEC	hydroxyethyl cellulose polymer,	P	Viscosifier	Drilling Specialties Company
HEC Liquid	Hydroxyethyl Cellulose Polymer	P	Viscosifier	Millenium Technologies
High Yield BentoniteGel	Polymerverändertes Natriumbentonit	B+P	Viscosifier	PDSCo
High Yield Gel	Natriumbentonit	B+P	Viscosifier	ADG Technology
HYDRAUL-EZ	Wyoming-Bentonit	B	Viscosifier	Cetco
Hydro-Pac	Flüssiges Polymer	P	Viscosifier	Cetco
IBECO B1	Natrium-bentonit	B	Viscosifier	IBECO
IBECO B2	Natrium-bentonit	B	Viscosifier	IBECO
IBECO HT-X	aktivierter Calcium-bentonit	B	Viscosifier	IBECO
Ikomont B	Calcium-Bentonit in aktivierter Form	B	Viscosifier	Erbsloeh
Ikomont CA	Calcium-Bentonit	B	Viscosifier	Erbsloeh
Ikomont NA, weiß	Calcium-Bentonit in aktivierter Form mit hohem Weißgrad.	B	Viscosifier	Erbsloeh
INSTA PAC DRY	Polyacrylamid	P	Viscosifier	Cetco
INSTA-PAC 425	Acrylamid	P	Viscosifier	Cetco
INSTA-VIS	Acrylamid	P	Viscosifier	Cetco
Kelzan L	Liquid xanthan gum	P	Viscosifier	Kelco Oil Field Group
Kelzan XC	xanthan gum	P	Viscosifier	Kelco Oil Field Group
Kelzan XCD	Dispersible grade xanthan gum	P	Viscosifier	Kelco Oil Field Group
Lamgum 100	natürliches, organisches Polymer - GuarGum	P	Viscosifier	AdriaTech
Lamseal G	organisches Polymer	P	Viscosifier	AdriaTech
Lamvis S100	synthetisches Polmer	P	Viscosifier	AdriaTech
Liquipac			Viscosifier	Pigott Shaft Drillig
Liqui-Vis EP	Dispersed liquid HEC	P	Viscosifier	Baroid
Max Gel TM	Wyoming Bentonite	B+P	Viscosifier	ADG Technology
MAXBore HDD TM	Wyoming Bentonite	B+P	Viscosifier	ADG Technology
Medium Plug 3/8 - ABI	sized bentonite	B	Viscosifier	Millenium Technologies
MF 1 und MF 55	PolyacrylamidPolymer	P	Viscosifier	Kelco Oil Field Group
M-I Gel	Wyoming bentonite	B	Viscosifier	M-I Swaco
M-I Gel Supreme	Untreated wyoming bentonite	B	Viscosifier	M-I Swaco
Mil-Gel	Wyoming bentonite	B	Viscosifier	Baker Hughes Inteq
Mil-Gel NT	Untreated wyoming bentonite	B	Viscosifier	Baker Hughes Inteq
M-I-X II	Blended calcium carbonate & polymers	P	Viscosifier	M-I Swaco
MODIFLOW 050	Mischprodukt auf Polymerbasis	P	Viscosifier	Phrikolat
MODIFLOW 060	Spezialpolymer – Mischprodukt auf Polymerbasis	P	Viscosifier	Phrikolat
Modiflux 230	Fertigspülung		Viscosifier	Phrikolat
Morrison CMC	Multifunction Polymer	P	Viscosifier	Morrison

Produktname	Zusammensetzung/Stoffgruppe	Bentonit Polymer Stopfmittel	Funktion	Hersteller
Morrison SUPER GEL™	Premium quality modified bentonite	B	Viscosifier	Morrison
Natrosol	Hydroxyethylcellulose HEC	P	Viscosifier	Aqualon
Natural Bentonite Gel	Natürliches Natriumbentonit	B	Viscosifier	PDSCo
Natural Gel	Wyoming bentonite	B	Viscosifier	Alliance Fluids
No-Sag	Freifließendes, pulverisiertes Biopolymer	P	Viscosifier	Baroid
Novamod	Rheology modifier		Viscosifier	M-I Swaco
Novatec M	Low-end rheology modifier		Viscosifier	M-I Swaco
Oilgel-3000	Modified organophilic clay	B	Viscosifier	Canamara United Supply
OMV-100	Organophilic clay	B	Viscosifier	Canamara United Supply
PDSCo Gel	Polymerverändertes Natriumbentonit	B+P	Viscosifier	PDSCo
Poly-Bore	PHPA trocknen Polymer-Plastik (hohes Molekulargewicht)	P	Viscosifier	Baroid
Poly-Plus 2000	synthetisches Copolymer PHPA	P	Viscosifier	ADG Technology
Poly-Plus LTM	Polymer	P	Viscosifier	ADG Technology
Poly-Plus Powder	synthetisches Copolymer PHPA	P	Viscosifier	ADG Technology
Poly-Plus RD	synthetisches Copolymer PHPA	P	Viscosifier	ADG Technology
Poly-Vis II	Mixed metal hydroxide		Viscosifier	Canamara United Supply
POLYVIS® II	MMH		Viscosifier	Degussa
Poly-Xan	Dispersible grade xanthan+B727 gum	P	Viscosifier	Canamara United Supply
PSDGEL 120	Wyoming Bentonite	B + P	Viscosifier	Pigott Shaft Drillig
PSDGEL 180	Wyoming Bentonite	B + P	Viscosifier	Pigott Shaft Drillig
Quik-Gel x) Produkt nicht gefunden	Hochwertiges behandeltes Natriumbentonit	B+P	Viscosifier	Baroid
Rhemod L	Modified fatty acid		Viscosifier	Baroid
RM 63	Blend of fatty acids		Viscosifier	Baroid
RMB 150	NatriumMontmorilloniteTon	B	Viscosifier	Pigott Shaft Drillig
SLURRY PAC 390	Acrylamid	P	Viscosifier	Cetco
Super Gel-X	Wyoming sodium bentonite.	B	Viscosifier	Cetco
Super Mud	synthetisches polyacrylamidpolymer	P	Viscosifier	PDSCo
Super-Col	Extra high yield bentonite	B	Viscosifier	Baker Hughes Inteq
Suspentone	Organophilic viscosifier for oils		Viscosifier	Baroid
SWELL Gel	Natürliches Natriumbentonit	B	Viscosifier	Phrikolat
Temperus	Suspension agent for oil based and synthetic muds		Viscosifier	Baroid
TEQGEL HD®	Bentonit-Polymer-Formulierung	B+P	Viscosifier	GelTeq
TFA 33/34	Polymer	P	Viscosifier	Condat
TFA 44	Polymer	P	Viscosifier	Condat
Therma Vis	Extreme high bentonite extender		Viscosifier	Baroid
TIXOTON	Aktivierter Bentonit	B	Viscosifier	Süd-Chemie
Tixoton	aktivierter Bentonit	B	Viscosifier	GWE
Tru-Bore	modifiziertes Bentonit	B+P	Viscosifier	Wyo-Ben
Truvis	Rapid yield organophilic clay	B	Viscosifier	M-I Swaco
TUNLUB L	Polymer	P	Viscosifier	Süd-Chemie
TUNVIS L	Polymer	P	Viscosifier	Süd-Chemie
Uni-Drill	liquid polymer	P	Viscosifier	Wyo-Ben
V.I. range	bentonite additive	B	Viscosifier	Condat
Versamod	Low shear rate modifier for oil muds		Viscosifier	M-I Swaco
Versapac	Thermally activated organic thixotrope		Viscosifier	M-I Swaco

