

## Literatur

- AGRAWAL, M.Y., AGRAWAL, Y.P. & B. SHAMKUWAR PRASHANT (2014): Phytochemical and Biological activities of *Chenopodium album*. Int. J. PharmTech Res. 6/2014: 38–391.
- ALI, A. M., MACKEEN, M. M., EL-SHARKAWY, S. H., HAMID, J. A., ISMAIL, N. H., AHMAD, F. B. H. & N. H. LAJS (1996): Antiviral and cytotoxic activities of some plants used in Malaysian indigenous medicine. Pertanika J. Trop. Agric. Sci. 19/1996: 129–136.
- ALI-SHTAYEH, M.S., YAGHMOUR, R. M.-R., FAIDI, Y.R. , SALEM, K. & M.A. AL-NURI (1998): Antimicrobial activity of 20 plants used in folkloric medicine in the Palestinian area. J. Ethnopharmacol. 60/1998: 265–271.
- ALI-SHTAYEH, M.S. & S.I.A. GHDEIB (1999): Antifungal activity of plant extracts against dermatophytes. - Mycoses 42/1999: 665–672.
- AMOROS, M., FAUCONNIER, B. & R. L. GIRRE (1987): In vitro antiviral activity of a saponin from *Anagallis arvensis*, *Primulaceae*, against herpes simplex virus and poliovirus. Antiviral Research 9/1987: 13–25.
- BARLA, A., BIRMAN, H., KÜLTÜR, Ş. & S. ÖKSÜZ (2006): Secondary metabolites from *Euphorbia helioscopia* and their vasodepressor activity. Turk. J. Chem. 30/2006: 325–332.
- BUBUEANU, C., GHEORGHE, C., PIRVU, L. & G. BUBUEANU (2013): Antioxidant activity of butanolic extracts of romanian native species – *Lamium album* and *Lamium purpureum*. Romanian Biotechnological Letters 18/2013: 8855–.
- BUNDESMINISTERIUM FÜR UMWELT, NATURSCHUTZ UND REAKTORSICHERHEIT (BMU) (2011): Nationale Strategie zur biologischen Vielfalt. 3. Aufl. 179 S.
- BUSTANJI, Y., ALDOURI, N., ISSA, A., MASHALLAH, S., SASSAF, A., ABURJAI, T. & M. MOHAMMAD (2012): Cytotoxic effect of *Mercurialis annua* L. methanolic extract on six human solid cancer lines. Sci. Res. Essays 7/2012: 3218–3222.
- EUROPÄISCHE KOMMISSION (2011): Mitteilungen der Europäischen Kommission an das Europäische Parlament, den Rat, den europäischen Wirtschafts- und Sozialausschuss und den Ausschuss der Regionen. Lebensversicherung und Naturkapital: Eine Biodiversitätsstrategie der EU für das Jahr 2020. 19 S.
- GARBACKI, N., GLOAQUEN, V., DAMAS, J., BODART, P. & L. ANGENOT (1999): Anti-inflammatory and immunological effects of *Centaurea cyanus* flower-heads. J. Ethnopharmacology 68/1999: 235–241.
- GÜRBÜZ, I., OZKAN, A.M., YESILADA, E. & O.I. KUTSAL (2005): Anti-ulcerogenic activity of some plants used in folk medicine of Pinarbase (Kayseri, Turkey). J. Ethnopharmacol. 101/2005: 313–318.
- HAMAD, İ., EROL-DAYI, Ö., PEKMEZ, M., ÖNAY-UÇAR, E. & N. ARDA (2010): Antioxidant and cytotoxic activities of *Aphanes arvensis* extracts. Plant Foods Hum. Nutr. 65/2010: 44–49.
- IVANOVSKA, N., PHILIPOV, S. & R. ISTATKOVA, R. (1997): Evaluation of anti-inflammatory activity of plants used in Bulgarian folk medicine. Fitoterapia, 68/1997: 417–422.

- KHAN, R.A., KHAN, M. R. & S. SAHREEN (2012): Brain antioxidant markers, cognitive performance and acetylcholinesterase activity of rats: efficiency of *Sonchus asper*. Behavioral and Brain Functions 8/2012: 1–7.
- KHAN, Z.U., KHAN, S., CHEN, Y., HASSAN, S.U. & P. WAN (2014): Natural products- new antimicrobial constituents derived from *Cirsium arvense*. I. J. Plant. Res. 4/2014: 5–10.
- KHAZAEI, M. & H. SALEHI (2006): Protective effect of *Falcaria vulgaris* extract on ethanol induced gastric ulcer in rat. Iranian Journal of Pharmacology & Therapeutics (IJPT) 5/2006: 43–46.
- KUBÍNOVÁ, R., POŘÍZKOVÁ, R., BARTL, T., NAVRÁTILOVÁ, A., ČÍŽEK, A. & M. VALENTOVÁ (2014): Biological activities of polyphenols from *Polygonum lapathifolium*. Bol. Latinoam. Caribe Plant. Med. Aromat. 13/2014: 506–516.
- LANDA, P., MARIK, P., HAVLIK, J., KLOUCEK, P., VANEK, T. & L. KOKOSKA (2009): Evaluation of antimicrobial and anti-inflammatory activities of seed extracts from six *Nigella* species. J. Med. Food 12/2009: 408–415.
- LANUV (LANDESAMT FÜR NATUR, UMWELT UND VERBRAUCHERSCHUTZ NRW) (2011): Rote Liste und Artenverzeichnis der Farn- und Blütenpflanzen – Pteridophyta et Spermatophyta – in Nordrhein-Westfalen. 80 S.
- LEI, Z.-H., YAHARA, S., NOHARA, T., TAI, B.-S., XIONG, J.-Z. & Y.-L. MA (2000): Cardiac glycosides from *Erysimum cheiranthoides*. Chem. Pharm. Bull. 48/2000: 290–292.
- LÓPEZ, V., JÄGER, A.K., AKERETTA, S., CAVERO, R.Y. & M.J. CALVO (2011): Pharmacological properties of *Angallis arvensis* L. (“scarlet pimpernel”) and *Anagallis foemina* Mill. (“blue pimpernel”) traditionally used as wound healing remedies in Navarra (Spain). J. Ethnopharmacol. 134/2011: 1014–1017.
- LÓPEZ, V., CAVERO, R.Y. & M.J. CALVO (2013): Cytotoxic effects of *Angallis arvensis* and *Anagallis foemina* in neuronal and colonic adenocarcinoma cell lines. Pharmacognosy Journal 5/2013: 2–5.
- MELERO, C.P., MEDARDE, M. & A. SAN FELICIANO (2000): A short review on cardiotonic steroids and their aminoguanidine analogues. Molecules 5/2000: 51–81.
- MENG, X.L., RIORDAN, N.H., CASCIARI, J.J., ZHU, Y., ZHONG, J., GONZALES, M.J., MIRANDA-MASSARI, J.R. & H.D. RIORDAN (2002): Effects of high molecular mass *Convolvulus arvensis* extract on tumor growth and angiogenesis. P.R. Health Sci. J. 21/2002: 323–328.
- MINISTERIUM FÜR KLIMASCHUTZ, UMWELT, LANDWIRTSCHAFT, NATUR- UND VERBRAUCHERSCHUTZ DES LANDES NORDRHEIN-WESTFALEN (MKULNV) (Hrsg.) (2015): Biodiversitätsstrategie NRW.
- MIRI, A., SHARIFI-RAD, J., HOSEINI-ALFATEMI, S. M. & M. SHARIFI-RAD (2013): A study of antibacterial potentiality of some plants extracts against multi-drug resistant human pathogens. Annals of Biological Research 4/2013: 35–41.
- MOHAMED, N.H. & A.E. MAHROUS (2009): Chemical constituents of *Descurainia sophia* L. and its biological activity. Rec. Nat. Prod. 3/2009: 58–67.
- MUNTEANU, M. F., GLIGOR, R., CRÎSNIC, I., COSTACHE, C.A. & I.A. COLOSI (2012): Antimicrobial activity of *Melampyrum cristatum*, *Melampyrum bihariense* and *Melampyrum arvense* tinctures. Afr. J. Pharm. Pharmacol. 6/2012: 2808–2812.
- MURALIDHARAN, P., BALAMURUGAN, G. & P. KUMAR (2008): Inotropic and cardioprotective effects of *Daucus carota* Linn. on isoproterenol-induced myocardial infarction. Bangladesh J. Pharmacol. 3: 74–79.

- NEELAM, S. & Z. KHAN (2012): Antioxidant activit of *Galium aparine* L. from Punjab, Pakistan. Pak. J. bot. 44/2012: 251–253.
- NEITZKE, M. (2005): Einheimische Heilpflanzen (Standort, Wirkung, Geschichte). Vorlesungsskript (unveröff.).
- OBERDORFER, E. (HRSG.) (1993): Süddeutsche Pflanzengesellschaften. Wirtschaftswiesen und Unkrautgesellschaften. Teil III. 3. Aufl. Stuttgart, Fischer, 455 S.
- ORHAN, I., ŞENER, B., CHOUDHARY, M. I. & A. KHALID, A. (2004): Acetylcholinesterase and butyrylcholinesterase inhibitory activity of some Turkish medicinal plants. J. Ethnopharmacol. 91/2004: 57–60.
- ORHAN, I., DELIORMAN-ORHAN, D. & B. ÖZÇELİK (2009): Antiviral activity and cytotoxicity of the lipophilic extracts of various edible plants and their fatty acids. Food Chemistry 115/2009: 701–705.
- ÖZKAN, A.M.G. & M.E. UZUNHISARCIKLI (2009): Stem and leaf anatomy of *Althaea* L. (*Malvaceae*) species growing in Turkey. - Hacettepe University Journal of the Faculty of Pharmacy 28/2009: 133–148.
- PAL, A., BANERJEE, B., BANERJEE, T., MASH, M. & PAL, K. (2011): Hepaprotective activity of *Chenopodium album* Linn. Plant against Paracetamol-induced hepatic injury in rats. Int. J Pharm. Pharm. Sci. 3: 55–57.
- PASALAR, M., LANKARANI, K.B., MEHRABANI, D., TOLIDE-I, H.R. & M. NASERI (2013): The effect of *Descurainia sophia* L. and *Prunus domestica* L. in prevention of constipation among Iranina Haji pilgrims, Saudi Arabia. Res. J. Pharm. Biol. Chem. Sci. 4/2013: 1195–1204.
- PIRVU, L., DRAGOMIR, C., SCHIOPU, S. & S.C. MIHUL (2012): Vegetal extracts with gastroprotective activity. Part I. Extracts obtained from *Centaurea cyanus* L. raw material. Romanian Biotechnological Letters, 17/2012: 7169–7176.
- PLANČIĆ, M., BOŽIN, B., KLADAR, N., RAT, M. & B SRĐENVIĆ (2014): Phytochemical profile and biological activities of the genus *Ornithogalum* L. (*Hyacinthaceae*). Biologia Serbia 36/2014: 3–17.
- PLAZONIĆ, A., MORNAR, A., ŽELJAN, M. & N. KUJUNDŽIĆ (2013): Phenolic content and antioxidant activities of Burr Parsley (*Caucalis platycarpos* L.). Molecules 18/2013: 8666–8681.
- PLOMEYEVA, N. YU., GURTO, R.V., BRYUSHININA, O.S., SLEPICHEV, V.A. , KAIGORODTSEV, A.V., SMIRNOV, V. YU., SUSLOV, N.I. & V.V. UDULT (2011): Anxiolytic an antidepressant effect of aqueous tincture of the aerial part of *Myosotis arvensis*. Bull. Exp. Biol. Med. 151/2011: 604–606.
- RAIHAN, MD. O., KHALEQUEZZAMAN, MD., BRISHTI, A., TAREQ, S. M., HOSSAIN, A. & S. RANA (2012): Anthelmintic and antiproliferative activity of aerial parts of *Persicaria hydropiper*. Der Pharmacia Sinica 3/2012: 104–110.
- RAMEZANI, M., BEHRAVAN, J., ARAB, M. & S.A. FARZAD (2008): Antiviral activity of *Euphorbia helioscopia* extract. J. Biol. Sci. 8/2008: 809–813.
- SARAC, N. & A. UGUR (2007): Antimicrobial activities and usage in folkloric medicine of some *Lamiaceae* species growing in Mugla, Turkey. EurAsia J. BioSci. 4/2007: 28–37.
- SARAVANAN, S., DHASARATHAN, P., INDIRA, V. & R. VENKATRAMAN (2011): Gastro protective and antioxidant activity of *Solanum nigrum* Linn. against Aspirin and cold restraint stress induced ulcerated rats. Res. J. Immunol. 4/2011: 1–11.
- SDW (SCHUTZGEMEINSCHAFT DEUTSCHER WALD) (Hrsg.) (2015): Umweltnachrichten. Unser Wald 2/2015: 26–31.

SHRI, R., SINGH, M. & A. SHARMA (2009): Bioactivity-directed separation on an anxiolytic fraction from *Aethusa cynapium* L. Phcog. Res. 1/2009: 336–342.

THE LOCAL FOOD-NUTRACEUTICALS CONSORTIUM (2005): Understanding local mediterranean diets: a multidisciplinary pharmacological and ethnobotanical approach. Pharmacol. Research 52/2005: 353–366.

TRICHOPOULOU, A., VASILOPOULOU, E., HOLLMAN, P., CHAMALIDES, C., FOUFA, E., KALOUDIS, T., KROMHOUT, D., MISKAKI, PH., PETRICHILOU, I., POULIMA, E., STAFILAKIS, K. & D. THEOPHILOU (2000): Nutritional composition and flavonoid content of edible wild green pies: a potential rich source of antioxidant nutrients in the Mediterranean diet. Food Chem. 70/2000: 319–323.

ULLAH, N., SAEED, S., REHMAN, A., ULLAH, H., FARHAN & I. AHMAD (2013): Antibacterial and anti-fungal study of *Spergula arvensis*. Int. J. Sci. Innov. Discov. 3/2013: 348–352.

VINHOLES, J., GROSSO, C., ANDRADE, P.B., GIL-IZQUIERDO, A., VALENTÃO, P., GUEDES DE PINHO, P. & F. FERRERES (2011): In vitro studies to assess the antidiabetic, anti-cholinesterase and antioxidant potential of *Spergularia rubra*. Food Chem. 129/2011: 454–462.

WANG, Z.Y., LIU, H.P., ZHANG, Y.C., GUO, L. Q., LI, Z.X. & X. F. SHI (2012): Anticancer potential of *Euphorbia helioscopia* L. extracts against human cancer cells. The Anatomical Record 295/2012: 223–233.

WEISS, J. (2009): Lebensraum Feldflur in Gefahr. Natur in NRW 3/2009: 13.

YUMRUTAS, O. & S.D. SAYGIDEGER (2010): Determination of in vitro antioxidant activities of different extracts of *Marrubium parviflorum* Fish et Mey. and *Lamium amplexicaule* L. from south east of Turkey. J. Med. Plant Res. 4/2010: 2164–2172.

ZIELIŃSKA-JENCZYLIK, J., SYPULA, A., BUDKO, E. & H. RZADKOWSKA-BODALSKA (1988): Interferonogenic and antiviral effect of extracts from *Erodium cicutarium*. II. Modulatory activity of *Erodium cicutarium* extracts. Arch. Immunol. Ther. Exp. (Warsz). 36/1988: 527–536.